

**In the Claims**

A detailed listing of all claims has been provided. A status identifier is provided for each claim in a parenthetical expression following each claim number.

Claims 1—105 were originally filed.

No claims were canceled.

No claims are newly added.

Claims 14—40, 51—81, 93—97 and 104—105 are withdraw, due to the restriction requirement.

1. (Original.) An architecture comprising:  
a table appearance manager to manage how a table appears in a document;  
and  
a spreadsheet functionality manager to manage spreadsheet functions for the table.
2. (Original.) The architecture of claim 1, wherein the document is a markup document.
3. (Original.) The architecture of claim 1, wherein the table appearance manager provides a formula edit box to permit the user to enter a formula into a cell of the table.

- 1 4. (Original.) The architecture of claim 1, wherein the table appearance  
2 manager comprises:  
3 a table component to support editing functionality of the table; and  
4 a spreadsheet component to receive data and formulas input into the table.  
5
- 6 5. (Original.) The architecture of claim 1, wherein the spreadsheet  
7 functionality manager comprises:  
8 a cell table to maintain data values and formulas used in the table; and  
9 a format table to maintain formatting information used in the table.  
10
- 11 6. (Original.) The architecture of claim 1, wherein the spreadsheet  
12 functionality manager comprises:  
13 a cell table to maintain data values and formulas used in the table; and  
14 a recalculation engine to recalculate the formulas following a change to a  
15 data value or formula in the cell table.  
16
- 17 7. (Original.) The architecture of claim 1, wherein the spreadsheet  
18 functionality manager comprises:  
19 a cell table to maintain data values and formulas used in the table;  
20 a delay parser to parse input for the cell table as needed; and  
21 a recalculation engine to recalculate the formulas following a change to a  
22 data value or formula in the cell table.  
23  
24  
25

- 1 8. (Original.) The architecture of claim 1, wherein multiple tables appear in  
2 one or more documents, and the spreadsheet functionality manager is  
3 configured to maintain data and formulas for the multiple tables.  
4
- 5 9. (Original.) The architecture of claim 1, wherein multiple tables appear in  
6 one or more documents, and the spreadsheet functionality manager is  
7 configured to track references made from one table to another table.  
8
- 9 10. (Original.) The architecture of claim 1, wherein multiple tables appear in  
10 one or more documents, and the spreadsheet functionality manager is  
11 configured to maintain data and formulas for the multiple tables and track  
12 references made from one table to another table, the spreadsheet  
13 functionality being further configured to update any data and formulas in  
14 the multiple tables that is affected by a change made to one of the tables.  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25

11. (Original.) The architecture of claim 1, wherein multiple tables appear in one or more documents, and wherein:

the table appearance manager comprises multiple spreadsheet components so that there is one spreadsheet component for an associated table, each spreadsheet component being configured to capture data and formulas input into the associated table; and

the spreadsheet functionality manager comprises multiple grid components so that there is one grid component for an associated table and an associated spreadsheet component, each grid component maintaining the data, the formulas, and formatting used in the associated table.

12. (Original.) The architecture of claim 1, further comprising a document renderer to render the document.

13. (Original.) The architecture of claim 1, wherein the table appearance manager and the spreadsheet functionality manager reside on different computers.

14. (Withdrawn.) An architecture comprising:  
a user interface to present a document containing text and a table; and  
a table management system to manage how the table appears in the document and to manage spreadsheet functions for the table.

1 15. (Withdrawn.) The architecture of claim 14, wherein the table management  
2 system provides a formula edit box to permit the user to enter a formula  
3 into a cell of the table.

4  
5 16. (Withdrawn.) The architecture of claim 14, wherein the table management  
6 system comprises:  
7 a table component to support editing functionality of the table; and  
8 a spreadsheet component to receive data and formulas input into the table.

9  
10 17. (Withdrawn.) The architecture of claim 14, wherein the table management  
11 system comprises:  
12 a cell table to maintain data values and formulas used in the table; and  
13 a format table to maintain formatting information used in the table.

14  
15 18. (Withdrawn.) The architecture of claim 14, wherein the table management  
16 system comprises:  
17 a cell table to maintain data values and formulas used in the table; and  
18 a recalculation engine to recalculate the formulas following a change to a  
19 data value or formula in the cell table.

- 1 19. (Withdrawn.) The architecture of claim 14, wherein the table management  
2 system comprises:  
3 a cell table to maintain data values and formulas used in the table;  
4 a delay parser to parse input for the cell table as needed; and  
5 a recalculation engine to recalculate the formulas following a change to a  
6 data value or formula in the cell table.  
7
- 8 20. (Withdrawn.) The architecture of claim 14, wherein the document contains  
9 multiple tables, and the table management system is configured to maintain  
10 data and formulas for the multiple tables.  
11
- 12 21. (Withdrawn.) The architecture of claim 14, wherein the user interface  
13 presents multiple tables in one or more documents, and the table  
14 management system is configured to maintain data and formulas for the  
15 multiple tables and track references made from one table to another table,  
16 the table management system being further configured to update any data  
17 and formulas in the multiple tables that is affected by a change made to one  
18 of the tables.  
19  
20  
21  
22  
23  
24  
25

1 22. (Withdrawn.) An architecture comprising:  
2 a complementary pair of spreadsheet and grid components for each table in  
3 the document;  
4 the spreadsheet component receiving data and formulas entered into the  
5 table;  
6 the grid component tracking the data and formulas in relation to cells in the  
7 table; and  
8 a recalculation engine to recalculate the formulas following a change to  
9 data in the grid component.  
10

11 23. (Withdrawn.) The architecture of claim 22, wherein new data is entered into  
12 the table and in response:  
13 the spreadsheet component receives the data and passes the data onto the  
14 grid component;  
15 the grid component stores the new data; and  
16 the recalculation engine recalculates any formula affected by the new data.  
17

18 24. (Withdrawn.) The architecture of claim 22, wherein a new formula is  
19 entered into the table and in response:  
20 the spreadsheet component receives the formula and passes it onto the grid  
21 component;  
22 the grid component stores the formula; and  
23 the recalculation engine recalculates any formula affected by the entry of  
24 the new formula.  
25

- 1
- 2 25. (Withdrawn.) The architecture of claim 22, wherein the grid component
- 3 comprises:
- 4 a cell table to maintain data and formulas in cells associated with the table;
- 5 and
- 6 a format table to maintain formatting information pertaining to the cells
- 7 associated with the table.
- 8
- 9 26. (Withdrawn.) The architecture of claim 22, wherein the spreadsheet
- 10 component provides a formula edit box user interface that permits user
- 11 entry of a formula.
- 12
- 13 27. (Withdrawn.) The architecture of claim 22, wherein the spreadsheet
- 14 component facilitates referencing between cells in the table and between a
- 15 first cell in a first table and a second cell in a second table.
- 16
- 17 28. (Withdrawn.) The architecture of claim 22, wherein the spreadsheet
- 18 component comprises:
- 19 a cell editing element to facilitate editing in the table; and
- 20 a cell behavior element to manage referencing between cells in the table
- 21 and among cells in multiple tables.
- 22
- 23 29. (Withdrawn.) The architecture of claim 22, further comprising a parser to
- 24 parse the data and formulas received by the spreadsheet component.
- 25



1  
2 30. (Withdrawn.) The architecture of claim 22, further comprising a delay  
3 parser to parse the data and formulas received by the spreadsheet  
4 component on an as-needed basis.

5  
6 31. (Withdrawn.) The architecture of claim 22, further comprising multiple  
7 complementary pairs of grid and spreadsheet components corresponding to  
8 multiple tables in the document.

9  
10 32. (Withdrawn.) The architecture of claim 31, wherein a first grid component  
11 references a second grid component to support cross table referencing from  
12 a first table associated with the first grid component and a second table  
13 associated with the second grid component.

14  
15 33. (Withdrawn.) The architecture of claim 32, wherein the recalculation  
16 engine, responsive to a change in the second grid component, recalculates a  
17 formula in the first grid component.

18  
19 34. (Withdrawn.) An architecture comprising:  
20 a document renderer to render a document containing at least one table;  
21 a spreadsheet component associated with the table to accept data and  
22 formulas entered into the table; and  
23 a spreadsheet engine to manage the data and formulas and to recalculate the  
24 formulas as the data in the table is modified.  
25

1  
2 35. (Withdrawn.) The architecture of claim 34, wherein the document renderer  
3 resides on a different computer than the spreadsheet component and the  
4 spreadsheet engine.

5  
6 36. (Withdrawn.) The architecture of claim 34, wherein the spreadsheet  
7 component provides a formula edit box user interface that permits user  
8 entry of a formula.

9  
10 37. (Withdrawn.) The architecture of claim 34, wherein the document contains  
11 first and second tables, further comprising:  
12 first and second spreadsheet components for respective first and second  
13 tables, the spreadsheet components facilitating referencing between  
14 a first cell in the first table and a second cell in the second table; and  
15 the spreadsheet engine managing the data and formulas in the first and  
16 second tables and recalculating the first cell in the first table in  
17 response to a change of the second cell in the second table.  
18  
19  
20  
21  
22  
23  
24  
25

1 38. (Withdrawn.) The architecture of claim 34, wherein the document renderer  
2 renders a free floating field separate from the table, the architecture further  
3 comprising:

4 a spreadsheet component associated with the free floating field to accept a  
5 formula; and

6 the spreadsheet engine being further configured to manage the formula in  
7 the free floating field and to recalculate the formula as the table is  
8 modified.

9  
10 39. (Withdrawn.) The architecture of claim 34, wherein a particular cell in the  
11 table contains a non-calculation formula that is not evaluated by the  
12 spreadsheet engine but which defines a dependency between two cells.

13  
14 40. (Withdrawn.) The architecture of claim 34, further comprising a document  
15 object to perform insertion of the tables.  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25

1 41. (Original.) An architecture comprising:  
2 first and second tables renderable as part of a common document;  
3 a first spreadsheet component to receive at least one of data or a first  
4 formula entered into a first cell in the first table;  
5 a first grid component to hold the data or first formula in association with  
6 the first cell of the first table;  
7 a second spreadsheet component to receive at least a second formula  
8 entered into a second cell in the second table, the second formula  
9 referencing the first cell in the first table; and  
10 a second grid component to hold the second formula in association with the  
11 second cell of the second table.

12  
13 42. (Original.) The architecture of claim 41, wherein the first table is nested  
14 within the second table.

15  
16 43. (Original.) The architecture of claim 41, wherein the second spreadsheet  
17 component presents a formula edit box to allow user entry of the second  
18 formula.

19  
20 44. (Original.) The architecture of claim 41, wherein the second spreadsheet  
21 component facilitates reference editing to the first cell in the first table.  
22  
23  
24  
25

1 45. (Original.) The architecture of claim 41, wherein the first table is nested  
2 within the second table and the second spreadsheet component facilitates  
3 reference editing to the first cell in the first table.

4  
5 46. (Original.) The architecture of claim 41, further comprising a recalculation  
6 engine to recalculate the second formula held in the second grid component  
7 in response to a change of the first cell in the first grid component.

8  
9 47. (Original.) The architecture of claim 46, wherein the second table is  
10 updated to reflect a result produced by the recalculation engine.

11  
12 48. (Original.) The architecture of claim 46, wherein the first and second tables  
13 are updated to reflect a result produced by the recalculation engine.

14  
15 49. (Original.) The architecture of claim 46, wherein the first table is nested  
16 within a particular cell of the second table, the particular cell containing a  
17 non-calculation formula that is not evaluated by the recalculation engine  
18 but which defines a dependency between the two cells.

1 50. (Original.) The architecture of claim 41, further comprising:  
2 a free floating field renderable in the document but separately from the first  
3 and second tables;  
4 a third spreadsheet component to receive a third formula entered into the  
5 free floating field; and  
6 a third grid component to hold the third formula.

7  
8 51. (Withdrawn.) A method comprising:  
9 presenting a table within a document;  
10 receiving data and at least one formula referencing the data entered into the  
11 table;  
12 managing the data and formula from the table;  
13 recalculating the formula in response to change of the data; and  
14 presenting a modified table within the document, the modified table  
15 reflecting results from said recalculating.

16  
17 52. (Withdrawn.) The method of claim 51, wherein the presenting comprises  
18 rendering a markup document.

19  
20 53. (Withdrawn.) The method of claim 51, wherein the managing comprises  
21 storing the data and formula in one or more objects associated with the  
22 table.  
23  
24  
25

1 54. (Withdrawn.) The method of claim 51, wherein the managing comprises:  
2 maintaining the data and formula in a first structure representative of the  
3 table; and  
4 maintaining formatting information for the table in a second structure  
5 representative of the table.  
6

7 55. (Withdrawn.) The method of claim 51, wherein the recalculating comprises  
8 traversing a chain of formulas and calculating the formulas according to an  
9 order in the chain.  
10

11 56. (Withdrawn.) The method of claim 51, further comprising presenting a free  
12 floating field in the document and separate from the table, the free floating  
13 field containing a formula that references the data in the table.  
14

15 57. (Withdrawn.) The method of claim 56, wherein the recalculating further  
16 comprises recalculating the formula in the free floating field in response to  
17 change of the data.  
18

19 58. (Withdrawn.) A computer readable medium having computer-executable  
20 instructions that, when executed on one or more processors, perform the  
21 method as recited in claim 56.  
22  
23  
24  
25

- 1 59. (Withdrawn.) A method comprising:  
2 presenting a table user interface (UI) within a markup document, the table  
3 UI containing data and at least one formula referencing the data;  
4 creating a cell table to hold the data and formula for the table UI;  
5 creating a format table to hold formatting information for the table UI;  
6 receiving user input in the table UI;  
7 parsing the user input to update the cell table and the format table;  
8 in an event the user input changes the data being referenced, recalculating  
9 the formula in the cell table to produce a new result; and  
10 presenting the table UI with the new result.  
11
- 12 60. (Withdrawn.) The method of claim 59, wherein the presenting comprises  
13 rendering the table UI as an HTML table.  
14
- 15 61. (Withdrawn.) The method of claim 59, wherein the cell table references one  
16 or more cell objects, each cell object being associated with a cell in the  
17 table UI.  
18
- 19 62. (Withdrawn.) The method of claim 59, wherein the format table contains  
20 formatting information for individual cells in the table UI.  
21
- 22 63. (Withdrawn.) The method of claim 59, wherein the parsing determines  
23 whether the user input is a formula, data, or text and determines the data  
24 format of that input.  
25



1  
2 64. (Withdrawn.) The method of claim 59, wherein the recalculating comprises  
3 traversing a chain of formulas and calculating the formulas according to an  
4 order in the chain.

5  
6 65. (Withdrawn.) The method of claim 59, wherein parsing comprises delaying  
7 parsing of selected cells in the cell table and the recalculating comprises  
8 inducing additional parsing of the selected cells as needed by the formula.

9  
10 66. (Withdrawn.) The method of claim 59, further comprising presenting a free  
11 floating field in the document and separate from the table, the free floating  
12 field containing a formula that references the data in the table.

13  
14 67. (Withdrawn.) The method of claim 66, wherein the recalculating further  
15 comprises recalculating the formula in the free floating field in response to  
16 change of the data.

17  
18 68. (Withdrawn.) A computer readable medium having computer-executable  
19 instructions that, when executed on one or more processors, perform the  
20 method as recited in claim 59.

- 1 69. (Withdrawn.) A method comprising:  
2 presenting first and second tables within a document, the first and second  
3 tables being separate from one another;  
4 receiving data for the first table;  
5 receiving a formula for the second table, the formula referencing the data in  
6 the first table; and  
7 upon modification of the data in the first table, automatically recalculating  
8 the formula in the second table.  
9
- 10 70. (Withdrawn.) The method of claim 69, wherein the presenting comprises  
11 nesting the first table within the second table.  
12
- 13 71. (Withdrawn.) The method of claim 69, wherein the receiving formula  
14 comprises displaying a formula edit box in association with a cell of the  
15 table into which the formula is being entered, the formula edit box  
16 permitting user entry of the formula.  
17
- 18 72. (Withdrawn.) The method of claim 69, further comprising enabling a user  
19 to reference the data in the first table when entering the formula in the  
20 second table.  
21  
22  
23  
24  
25

1 73. (Withdrawn.) The method of claim 69, wherein the presenting comprises  
2 nesting the first table within the second table and further comprising  
3 enabling a user to reference the data in the first table when entering the  
4 formula in the second table.

5  
6 74. (Withdrawn.) The method of claim 69, wherein the presenting comprises  
7 nesting the first table within a particular cell of the second table, the  
8 particular cell containing a non-calculation formula that is not recalculated  
9 as part of the recalculating.

10  
11 75. (Withdrawn.) The method of claim 69, further comprising presenting a free  
12 floating field in the document and separate from the first and second tables,  
13 the free floating field containing a formula that references one of the data in  
14 the first table or the formula in the second table.

15  
16 76. (Withdrawn.) The method of claim 75, wherein the recalculating further  
17 comprises recalculating the formula in the free floating field in response to  
18 change of the data in the first table.

19  
20 77. (Withdrawn.) A computer readable medium having computer-executable  
21 instructions that, when executed on one or more processors, perform the  
22 method as recited in claim 69.  
23  
24  
25

1 78. (Withdrawn.) A method comprising:  
2 presenting first and second tables within a document, the first table having  
3 at least one cell with contents; and  
4 referencing the cell in the first table from a cell in the second table.  
5

6 79. (Withdrawn.) The method of claim 78, wherein the presenting comprises  
7 nesting the first table within the second table.  
8

9 80. (Withdrawn.) The method of claim 78, wherein the referencing comprises  
10 using a pointer to reference the cell.  
11

12 81. (Withdrawn.) A computer readable medium having computer-executable  
13 instructions that, when executed on one or more processors, perform the  
14 method as recited in claim 78.  
15

16 82. (Original.) A method comprising:  
17 creating a first spreadsheet table for display in a document; and  
18 creating a second spreadsheet table for display in the document, the second  
19 spreadsheet table being nested within the first spreadsheet table  
20 when displayed.  
21

22 83. (Original.) A data structure stored on a computer readable medium, the data  
23 structure being produced as a result of the method of claim 82.  
24  
25

1 84. (Original.) A computer readable medium having computer-executable  
2 instructions that, when executed on one or more processors, perform the  
3 method as recited in claim 82.

4  
5 85. (Original.) A method comprising:  
6 integrating text and a spreadsheet table within a common document, the  
7 spreadsheet table supporting spreadsheet functionality;  
8 formatting the text according to a particular format; and  
9 formatting cells in the spreadsheet table according to the particular format.

10  
11 86. (Original.) A computer readable medium having computer-executable  
12 instructions that, when executed on one or more processors, perform the  
13 method as recited in claim 85.

14  
15 87. (Original.) A method comprising:  
16 integrating text and a spreadsheet table within a common document, the  
17 spreadsheet table supporting spreadsheet functionality; and  
18 evaluating the text and the spreadsheet table concurrently for possible  
19 spelling or grammatical errors.

20  
21 88. (Original.) A computer readable medium having computer-executable  
22 instructions that, when executed on one or more processors, perform the  
23 method as recited in claim 87.

24

25

1  
2 89. (Original.) A method comprising:

3 integrating text and a spreadsheet table within a common document, the  
4 spreadsheet table supporting spreadsheet functionality;  
5 enabling a user to select a control function to modify or evaluate an aspect  
6 of the document; and  
7 applying the control function across both the text and the spreadsheet table.  
8

9 90. (Original.) The method of claim 89, wherein the control function is selected  
10 from a group of functions including formatting, spell checking, grammar  
11 checking, find, find and replace, auto-correct, applying document themes,  
12 inserting lists, images, drawings, charts, hyperlinks, automatic detection of  
13 hyperlinks, and automatic detection of lists.  
14

15 91. (Original.) The method of claim 89, wherein the control function is any text  
16 feature that can be applied to the text and the applying comprises applying  
17 that text feature to the spreadsheet table.  
18  
19  
20  
21  
22  
23  
24  
25

1 92. (Original.) A method comprising:  
2 integrating text and a first spreadsheet table within a common document,  
3 the spreadsheet table supporting spreadsheet functionality;  
4 creating a second spreadsheet table by cutting or copying all or part of the  
5 first spreadsheet table and pasting said all or part of the first  
6 spreadsheet table; and  
7 updating any references to cells in the first spreadsheet table or the second  
8 spreadsheet table to reflect the newly created second spreadsheet  
9 table.

10  
11 93. (Withdrawn.) A computer readable medium having computer-executable  
12 instructions that, when executed on one or more processors, performs the  
13 following:  
14 construct a table user interface (UI) for display within a document;  
15 create a cell table to hold data and at least one formula for the table UI; and  
16 upon modification of the data, recalculate the formula in the cell table to  
17 produce a new result.

18  
19 94. (Withdrawn.) The computer medium of claim 93, further comprising  
20 computer-executable instructions that, when executed on one or more  
21 processors, perform creation of a format table to hold information  
22 pertaining to a data format of the table UI.  
23  
24  
25

1 95. (Withdrawn.) A computer readable medium having computer-executable  
2 instructions that, when executed on one or more processors, performs the  
3 following:

4 construct a first table user interface (UI) for display within a document;

5 create a first cell table to hold data for the first table UI;

6 construct a second table user interface (UI) for display within the  
7 document;

8 create a second cell table to hold a formula for the second table UI, the  
9 formula referencing the data in the first cell table; and

10 upon modification of the data in the first cell table, recalculate the formula  
11 in the second cell table to produce a new result.

12  
13 96. (Withdrawn.) The computer medium of claim 95, wherein the first table UI  
14 is nested within the second table UI.  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25



1 97. (Withdrawn.) A computer readable medium having computer-executable  
2 instructions that, when executed on one or more processors, performs the  
3 following:

4 construct a table user interface (UI) for display within a document;

5 create a first cell table to hold data for the table UI;

6 construct a free floating field for display within the document;

7 create a second cell table to hold a formula for the free floating field, the  
8 formula referencing the data in the first cell table; and

9 upon modification of the data in the first cell table, recalculate the formula  
10 in the second cell table to produce a new result.

11  
12 98. (Original.) A computer comprising:

13 a memory;

14 a processing unit coupled to the memory; and

15 an architecture stored in the memory and executable on the processing unit  
16 to construct and display a document having a table with integrated  
17 spreadsheet functionality.

18  
19 99. (Original.) A computer as recited in claim 98, wherein the architecture  
20 constructs multiple tables within the document, at least one table containing  
21 a reference to contents in another table.

1 100. (Original.) A computer as recited in claim 98, wherein the architecture  
2 constructs multiple tables within the document, the tables containing  
3 formulas referencing contents of other tables, whereupon modification of  
4 content in one of the tables, the architecture automatically recalculates all  
5 formulas in the tables in the document.

6  
7 101. (Original.) A computer as recited in claim 98, wherein the architecture  
8 constructs a free floating field in the document, the free floating field  
9 containing a formula referencing content in the table, whereupon  
10 modification of content in the table, the architecture automatically  
11 recalculates the formulas in the free floating field.

12  
13 102. (Original.) A computer as recited in claim 98, wherein the architecture  
14 comprises:

15 a table appearance manager to manage how a table appears in the  
16 document; and  
17 a spreadsheet functionality manager to manage spreadsheet functions for  
18 the table.

19  
20 103. (Original.) A computer as recited in claim 98, wherein the architecture  
21 comprises a complementary pair of spreadsheet and grid objects for the  
22 table, the spreadsheet object facilitating user entry of content into the table  
23 and the grid object holding the content for the table.  
24  
25

- 1 104. (Withdrawn.) A markup document stored on a computer readable medium  
2 and renderable on a display, comprising:  
3 a text portion;  
4 a first spreadsheet table having multiple cells; and  
5 a second spreadsheet table nested within a cell of the first spreadsheet table.  
6
- 7 105. (Withdrawn.) A data structure stored as recited in claim 104, further  
8 comprising a free floating field embedded in the text portion, the free  
9 floating field referencing a cell in one of the first table or the second table.  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25